

City of Austin Purchasing Office – Log of Offers Rec

IFB 1100 MEA1013 02/11/20  
600V DRY-Type-Slip Cover Brushing

Solicitation Number: \_\_\_\_\_

IFB Disclaimer: The information contained on the following bid sheets are for information only and does not constitute actual award/execution of a contract.

RFP/RFQS Disclaimer: The contents of a proposal shall remain confidential until a contract is awarded. This log of offers is for information purposes only and does not constitute actual award/execution of a contract.

For more information, you may contact the Purchasing Office by:  
Phone – 512-974-2500  
Email – [Purchase@austintexas.gov](mailto:Purchase@austintexas.gov)  
Physical Address – 124 W. 8<sup>th</sup> St., Third floor, Austin, TX 78701  
Hours of Operation – Monday-Friday 7:45 a.m. to 4:45 p.m.

Vendor Name (on sealed offer)	Rec'd By	Date & Time Received	No Bid	Vendor Name (opening)*	Bid Read @ opening
1. <u>KBS Electrical Distributors NJ</u>	<u>NJ</u>	<u>1/24/2020 @ 12<sup>51</sup>pm</u>	<input type="checkbox"/>	<u>Klose Electric</u>	<input type="checkbox"/>
2. <u>Arteche</u>	<u>LP</u>	<u>2/4/20 11:00 A.M</u>	<input type="checkbox"/>	<u>ARTECHE USA</u>	<input type="checkbox"/>
3. <u>Spectrum Industries</u>	<u>LP</u>	<u>2/10/20 9:21 A.M</u>	<input type="checkbox"/>	_____	<input type="checkbox"/>
4. <u>Texas Electric Cooperatives</u>	<u>LP</u>	<u>2/11/20 8:32 A.M</u> <del>8:30 A.M</del>	<input type="checkbox"/>	_____	<input type="checkbox"/>
5. <u>Power Supply</u>	<u>LP</u>	<u>2/11/20 9:51 A.M</u>	<input type="checkbox"/>	_____	<input type="checkbox"/>
6. <u>Priester-mell &amp; nicholson INC</u>	<u>LP</u>	<u>2/11/20 12:30 P.M</u>	<input type="checkbox"/>	_____	<input type="checkbox"/>
7. <u>Spectrum Industries</u>	<u>LP</u>	<u>2/11/20 12:45 PM</u>	<input type="checkbox"/>	_____	<input type="checkbox"/>
8. _____	_____	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>
9. _____	_____	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>

Form and Offers Distributed By: \_\_\_\_\_ Date: \_\_\_\_\_

Form and Offers Received By: \_\_\_\_\_ Date: \_\_\_\_\_

\* Only complete if the vendor name is different from the name on the offerors documents inside the envelope that is opened during the webinar.

CITY OF AUSTIN  
 BID TABULATION  
 600V Dry-Type Slip-Over Bushing Current Transformers

Solicitation No. IFB 1100 MEA1013

RX No. 19112100144

Opening Date: 12/11/20

Buyer: Maria Andrade

Receipt No.

				1		2		3		4		5		6	
Vendor Name				Texas Electric Cooperatives		Priester-Mell & Nicholson		Power Supply		KBS Electrical Distributors		Arteche USA *		Spectrum Industries Inc.*	
ITEM NO.	ITEM DESCRIPTION	U/M	EST. QTY	UNIT PRICE	TOTAL PRICE	UNIT PRICE	TOTAL PRICE	UNIT PRICE	TOTAL PRICE	UNIT PRICE	TOTAL PRICE	UNIT PRICE	TOTAL PRICE	UNIT PRICE	TOTAL PRICE
1.1	Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip -over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.	EA	9	\$2,225.00	\$20,025.00	\$2,630.00	\$23,670.00	\$6,050.00	\$54,450.00	\$9,044.25	\$81,398.25	*	*	*	*
	The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.														
	The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.														
	Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.														
	An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.														
	Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.														
	Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.														
	Includes a five (5) year warranty per Section 0400, Paragraph 11.														
TOTAL BID				\$20,025.00		\$23,670.00		\$54,450.00		\$81,398.25					

Award Method: Line by line

Note: \* Deemed non-responsive - Did not meet requirements of the solicitation.

Prepared By: Lezee Perkins

Approved: Maria Andrade

 Yellow notates award.

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS

SOLICITATION NO.: IFB 1100 MEA1013  
RX NO.: RQM 1100 19112100144  
OPENING DATE: 2/4/2020  
BUYER: Maria Andrade

Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip -over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	60	9,044.25	81,398.25
<b>TOTAL BID</b>					<b>\$81,398.25</b>	

*Quoting ITEC  
6-8 weeks*

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS  
NON-SPECIFIED ITEMS

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	8%

DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED

DELIVERY METHOD:  COMMON CARRIER (FedEx, UPS)  VENDOR DELIVERY

COMPANY NAME: KBS

PRINTED NAME: Matt McGuire

EMAIL ADDRESS: [mmcguire@kbselectric.com](mailto:mmcguire@kbselectric.com)

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS

SOLICITATION NO.: IFB 1100 MEA1013  
RX NO.: RQM 1100 19112100144  
OPENING DATE: 2/4/2020  
BUYER: Maria Andrade

Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

**NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.**

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip -over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	10 Weeks ARO	2,950.00	26,550.00
<b>TOTAL BID</b>					<b>\$26,550.00</b>	

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS  
NON-SPECIFIED ITEMS

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	0%

**DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED**

DELIVERY METHOD: \_\_\_\_\_ COMMON CARRIER (FedEx, UPS)      x \_\_\_\_\_ VENDOR DELIVERY

COMPANY NAME: Arteche USA

PRINTED NAME: Charbel Saliba

EMAIL ADDRESS: [charbel.saliba@arteche.com](mailto:charbel.saliba@arteche.com)

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS

SOLICITATION NO.: IFB 1100 MEA1013  
RX NO.: RQM 1100 19112100144  
OPENING DATE: 2/4/2020  
BUYER: Maria Andrade

Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip -over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	4-5 weeks to ship ARO	★ 2,100.00	18,900.00
<b>TOTAL BID</b>					<b>\$18,900.00</b>	

Please see attached quotesheet for part info and noted exceptions

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS  
NON-SPECIFIED ITEMS

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	17%

DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED

DELIVERY METHOD:  COMMON CARRIER (FedEx, UPS)  VENDOR DELIVERY

COMPANY NAME: SPECTRUM INDUSTRIES, INC.

PRINTED NAME: MARIA SIMILI-CROTEAU 

EMAIL ADDRESS: meters@spectrumind.com

**SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS**

SOLICITATION NO.: IFB 1100 MEA1013  
 RX NO.: RQM 1100 19112100144  
 OPENING DATE: 2/4/2020  
 BUYER: Maria Andrade

Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

**NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.**

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL., 60Hz, dry-type, outdoor, bushing, slip-over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	35-42 Days ARO	2,225.00	20,025.00
<b>TOTAL BID</b>						<b>\$20,025.00</b>

**NON-SPECIFIED ITEMS**

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	10%

**DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED**

DELIVERY METHOD:  COMMON CARRIER (FedEx, UPS)  VENDOR DELIVERY

COMPANY NAME: Texas Electric Cooperatives

PRINTED NAME: Adrian Lopez

EMAIL ADDRESS: alopez@texas-ec.org

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS

SOLICITATION NO.: IFB 1100 MEA1013  
RX NO.: RQM 1100 19112100144  
OPENING DATE: 2/4/2020  
BUYER: Maria Andrade

Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip -over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	60 DAYS	6,050.00	54,450.00
<b>TOTAL BID</b>					<b>\$54,450.00</b>	

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS  
NON-SPECIFIED ITEMS

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	20%

DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED

DELIVERY METHOD:  COMMON CARRIER (FedEx, UPS)  VENDOR DELIVERY

COMPANY NAME: POWER SUPPLY

PRINTED NAME: MARK DAVIS

EMAIL ADDRESS: mdavis@wesco.com

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS

SOLICITATION NO.: IFB 1100 MEA1013  
RX NO.: RQM 1100 19112100144  
OPENING DATE: 2/4/20  
BUYER: Maria Andrade

Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip-over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	8-10wks	2,630.00	23,670.00
<b>TOTAL BID</b>					<b>\$23,670.00</b>	

NON-SPECIFIED ITEMS

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	%

DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION. PREPAID AND ALLOWED

DELIVERY METHOD:  COMMON CARRIER (FedEx, UPS)  VENDOR DELIVERY

COMPANY NAME: Priester-Mell & Nicholson

PRINTED NAME: Donnie Carter

EMAIL ADDRESS: donnie.carter@pmm-inc.com

**SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS**

SOLICITATION NO.: IFB 1100 MEA1013  
 RX NO.: RQM 1100 19112100144  
 OPENING DATE: 2/4/2020  
 BUYER: Maria Andrade

**Special Instructions: Offerors must use this Bid Sheet to submit pricing. Be advised that exceptions taken, qualifying statements, or alterations of the bid sheet may jeopardize acceptance of the bid.**

The quantities noted below are estimates and not a guarantee of actual volume. Actual purchases may be more or less. Quantities are provided as a guide based on historical or anticipated usage. Order quantities will be as-needed and specified by the City for each order.

A bid of '0' (zero) will be interpreted by the City as a no-charge (free) item and the City will not expect to pay for that item. A bid of 'no bid' or no response (space left blank) will be interpreted by the City that the Offeror does not wish to bid on that item.

The City reserves the right to award a single contract based on overall low cost or multiple awards based on individual or categories/groups of specific line items, cost, or any criteria or combination deemed most advantageous to the City. The bidder may choose to submit pricing for all items listed on the bid sheet or only specific items in consideration of this solicitation.

Prices offered on the bid sheet shall be all inclusive of fees including administrative, overhead, per diem, and shipping or transportation costs (travel time, fuel surcharges, mileage, stop-fee, etc.) to deliver services or items to the required location.

\*\*\*\*\*THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES\*\*\*\*\*

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM	ITEM DESCRIPTION	QTY.	U/M	LEAD TIME	UNIT PRICE	EXTENDED PRICE
1	<p>Transformer, current, 600V, 10kV BIL, 60Hz, dry-type, outdoor, bushing, slip-over, dual core. Both cores shall be 2000/5, multi-ratio, C400, RF=2 at 30°C. The CT shall meet applicable requirements of the latest revision of IEEE C57.13. Each unit shall be provided with a nameplate.</p> <p>The secondary terminals of the two cores shall be housed in either a single weather-proof enclosure or separate weather-proof enclosures. If two enclosures are supplied, the enclosures must be positioned on the current transformer adjacent to each other. A maximum of 1" separation allowed between enclosures.</p> <p>The inside diameter shall be no less than 24 inches. The height shall be no more than 5 inches. The outside perimeter shall be round with less than a 34 inch diameter. No square corners allowed.</p> <p>Mounting hardware shall be supplied. The hardware shall consist of 4 (four) aluminum brackets connected to stainless-steel all thread rods and nuts.</p> <p>An aluminum ground shield shall be provided on the top surface of the unit. The shield shall be provided with a pad with 9/16" diameter holes for connection to the substation ground grid.</p> <p>Technical specifications, dimensional drawings, mounting hardware drawings, and name plate drawings shall be supplied with the bid, as per Section 0400, Paragraph 8.</p> <p>Standard test reports and installation, Operating, and Maintenance manuals shall be supplied with the units, as per Section 0400, Paragraph 8.</p> <p>Includes a five (5) year warranty per Section 0400, Paragraph 11.</p>	9	EA	4-5 WEEKS TO SHIP ARO	2,250.23 *	20,252.07
<b>TOTAL BID</b>					<b>\$20,252.07</b>	

*Please see attached quote sheet for part info and noted exceptions*

SECTION 0600 - BID SHEET  
CITY OF AUSTIN  
PURCHASING OFFICE  
600V DRY-TYPE TRANSFORMERS  
NON-SPECIFIED ITEMS

ITEM NO.	The City reserves the right to add additional items not specified above.	% MARKUP OVER MFG'S CONFIGURED PRICE
002	Bidders shall provide a percentage markup over their invoice. Reference 0400 Supplemental Purchase Provisions Section 2 Pricing Requirements - Non-Specified Items.	17%

DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED

DELIVERY METHOD:  COMMON CARRIER (FedEx, UPS)       VENDOR DELIVERY

COMPANY NAME: SPECTRUM INDUSTRIES, INC.

PRINTED NAME: MARIA SIMILI-CROTEAU 

EMAIL ADDRESS: meters@spectrumind.com