ADDENDUM No. 5

Date: April 24, 2013

City of Austin

Project Name: Todd Lane Improvements from Ben White to Saint Elmo

C.I.P. No. 6755.002

This Addendum forms a part of Contract and clarifies, corrects or modifies original Bid Documents, dated February 25, 2013. Acknowledge receipt of this addendum in space provided on bid form. Failure to do so may subject bidder to disqualification.

A. Project Manual Revisions:

VOLUME 1 OF 2: REMOVE IN ITS ENTIRETY TABLE OF CONTENTS AND REPLACE WITH THE ATTACHED TABLE OF CONTENTS;

VOLUME 1 OF 2: REMOVE IN ITS ENTIRETY SECTION 00300U AND REPLACE WITH THE ATTACHED SECTION 00300U;

VOLUME 1 OF 2: REMOVE IN ITS ENTIRETY SPECIAL PROVISION SP414S AND REPLACE WITH THE ATTACHED SP414S (VERSION 04/24/13);

VOLUME 1 OF 2: ADD IN ITS ENTIRETY SPECIFICATION PROVISION SP801S CONSTRUCTING A DETOUR (VERSION 04/24/13).

B. Drawing Revisions:

NONE

This addendum consists of 28 page(s)/ 0 sheet(s).

Clay Harris

Approved by OWNER

Xiaoqin Zhang, P.E.

Approved by ENGINEER/ARCHITECT

END

The undersigned, in compliance with the Invitation for Bids for construction of the following Project: **Todd Lane Improvements From Ben White to St. Elmo**

(**CIP ID# 6755.002) (IFB6100 CLMC423)** for the City of Austin, Texas, having examined the Project Manual, Drawings and Addenda, the site of the proposed Work and being familiar with all of the conditions surrounding construction of the proposed Project, having conducted all inquiries, tests and investigations deemed necessary and proper; hereby proposes to furnish all labor, permits, material, machinery, tools, supplies and equipment, and incidentals, and to perform all Work required for construction of the Project in accordance with the Project Manual, Drawings and Addenda within the time indicated for the following prices of:

Note: The Bidder will enter the line item subtotal in the "Amount" column below, which is the product of the estimated "Quantity" multiplied by the "Unit Price". Any mathematical errors will be corrected for the purpose of determining the correct Amount to be entered in the Bid Form. The Amounts, including any corrected Amounts, will then be totaled to determine the actual amount of the Bid.

STREET **8071-6207-9053**

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
101S-B	43	STA	PREPARING RIGHT-OF-WAY, PER 100 FOOT STA.	$_____	$_____
110S-B	5,080	CY	STREET EXCAVATION, PLAN QUANTITY	$_____	$_____
130S-A	2,000	CY	CLASS A (SELECT BORROW), PLAN QUANTITY	$_____	$_____
132S-A	1,630	CY	EMBANKMENT	$_____	$_____
204S-A	250	SY	PORTLAND CEMENT TREATMENT OF MATERIALS IN PLACE 6 INCH THICKNESS	$_____	$_____
204S-B	11	BARREL	PORTLAND CEMENT	$_____	$_____
210S-A	40	CY	FLEXIBLE BASE	$_____	$_____
SS277-A	92	TON	LIME FOR LIME-CEMENT TREATMENT	$_____	$_____
SS277-B	70	TON	CEMENT FOR LIME-CEMENT TREATMENT	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SS277-C	21,938	SY	LIME–CEMENT TREATMENT, (24 IN. THICK)	$_____	$_____
315S-A	4,500	SY	SURFACE MILLING	$_____	$_____
340S-B-D2	250	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 2 INCHES, TYPE D	$_____	$_____
340S-B-D1.5	21,938	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 1.5 INCHES, TYPE D	$_____	$_____
340S-B-C3	21,938	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 3.0 INCHES, TYPE C	$_____	$_____
340S-B-A1.5	2,475	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 1.5 INCHES, TYPE A	$_____	$_____
340S-B-A5	21,938	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 5 INCHES, TYPE A	$_____	$_____
340S-B-B12	1,150	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 12 INCHES, TYPE B	$_____	$_____
340S-B6	470	SY	HOT MIX ASPHALTIC CONCRETE PAVEMENT, 6.0 INCHES, TYPE B (FOR BUS PAVING SECTION)	$_____	$_____
360S-A	470	SY	10 INCH CONCRETE PAVEMENT W/STEEL REINF. PER COA STANDARD DETAIL 1000S-7 (FOR BUS PAVING SECTION)	$_____	$_____
SP402S-B	2,100	CY	FAST SET CLSM (SPECIAL WORK ZONE)	$_____	$_____
403S-CY	270	CY	CLASS A CONCRETE FILL	$_____	$_____
SP411S-A	343	SY	STAMPED CONCRETE (STAINED GREEN IN COLOR)	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
430S-A	12,080	LF	P.C. CONCRETE CURB AND GUTTER (EXCAVATION)	$_____	$_____
SP430S-A12	520	LF	P.C. CONCRETE CURB AND GUTTER (12-INCH TOP OF CURB)	$_____	$_____
432S-4	45,350	SF	NEW P.C. CONCRETE SIDEWALKS, 4 INCH THICKNESS	$_____	$_____
433S-C	25,500	SF	TYPE II P.C. CONCRETE DRIVEWAYS	$_____	$_____
480S-RP-1	51	EA	CURB RAMP WITH PAVERS (TYPE 1)	$_____	$_____
510-AW5 IRR	1,070	LF	PIPE, 5 IN. DIA. SDR-CLASS 200 (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW4 IRR	140	LF	PIPE, 4 IN. DIA. SCHEDULE 40 PVC (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW3 IRR	300	LF	PIPE, 3 IN. DIA. SCHEDULE 40 PVC (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW2 SCH 40 IRR	60	LF	PIPE, 2 IN. DIA. SCHEDULE 40 PVC (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW2.5 IRR	180	LF	PIPE, 2.5 IN. DIA. SCHEDULE 40 PVC (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW1.5 IRR	780	LF	PIPE, 1.5 IN. DIA. SCHEDULE 40 PVC (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
602S-C	2,594	SY	BERMUDA MULCH SODDING	$_____	$_____

STREET			8071-6207-9053		
Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP602S-B	1,837	SY	EMERALD ZOYSIA BLOCK SODDING, 100% COVERAGE, PLAN QUANTITY	$_____	$_____
610S-R	21	EA	REMOVAL OF EXISTING TREES	$_____	$_____
610S-A	1,650	LF	PROTECTIVE FENCING TYPE A CHAIN LINK FENCE (TYPICAL APPLICATION - HIGH DAMAGE POTENTIAL)	$_____	$_____
610S-B	150	LF	PROTECTIVE FENCING TYPE B WOOD FENCE (TYPICAL APPLICATION - HIGH DAMAGE POTENTIAL) (PLANKING)	$_____	$_____
640S	2,138	SF	MORTARED ROCK WALL	$_____	$_____
701S-H	120	LF	SECURITY FENCE, 8 FOOT HIGH, TYPE CHAIN LINK	$_____	$_____
701S-CD	2	EA	CHAIN LINK VEHICULAR DOUBLE SWING GATE, 8 FOOT X 12 FOOT	$_____	$_____
702S-A	92	LF	REMOVE AND RELOCATE EXISTING 6 FOOT, CHAIN LINK FENCE	$_____	$_____
SS730	32	STA	SPECIAL WORK ZONE CONSTRUCTION	$_____	$_____
829S-A6BW	2,150	LF	TYPE I BICYCLE LANE MARKINGS, 6 INCHES IN WIDTH, BROKEN WHITE IN COLOR	$_____	$_____
829S-A6SW	8,300	LF	TYPE I BICYCLE LANE MARKINGS, 6 INCHES IN WIDTH, SOLID WHITE IN COLOR	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
829S-B	28	EA	TYPE I BICYCLE LANE PREFERENTIAL (DIRECTIONAL ARROW) SYMBOLS, WHITE IN COLOR	$_____	$_____
829S-C	12	EA	TYPE I BICYCLE LANE PREFERENTIAL (BIKE RIDER) SYMBOL, WHITE IN COLOR	$_____	$_____
863S-4	17	EA	REFLECTORIZED PAVEMENT MARKER (TYPE II-B-B)	$_____	$_____
863S-5	140	EA	REFLECTORIZED PAVEMENT MARKERS (TYPE II-C-R)	$_____	$_____
871S-A4SW	140	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 4 INCHES IN WIDTH, 90 MILS IN THICKNESS, SOLID WHITE IN COLOR	$_____	$_____
871S-A4SY	10,800	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 4 INCHES IN WIDTH, 90 MILS IN THICKNESS, SOLID YELLOW IN COLOR	$_____	$_____
871S-A4BW	150	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 4 INCHES IN WIDTH, 90 MILS IN THICKNESS, BROKEN WHITE IN COLOR	$_____	$_____
871S-A12W	50	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 12 INCHES IN WIDTH, 90 MILS IN THICKNESS, WHITE IN COLOR	$_____	$_____

STREET **8071-6207-9053**

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
871S-A24W	200	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 24 INCHES IN WIDTH, 90 MILS IN THICKNESS, WHITE IN COLOR	$_____	$_____
871S-A60	75	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 60 INCHES IN WIDTH, 90 MILS IN THICKNESS, GREEN IN COLOR	$_____	$_____
871S-A72	40	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS 72 INCHES IN WIDTH, 90 MILS IN THICKNESS, GREEN IN COLOR	$_____	$_____
871S-B	6	EA	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS, 4 INCHES IN WIDTH, 90 MILS IN THICKNESS, WHITE IN COLOR	$_____	$_____

SUBTOTAL STREET..... $_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
403S-EA	1	EA	SPLITTER BOX COMPLETE IN PLACE	$_____	$_____
SP414S-C-SF6	3,610	SF	CAST-IN-PLACE PORTLAND CEMENT CONCRETE RETAINING WALL, (6 IN THICK) INCLUDING REINFORCEMENT	$_____	$_____
SP414S-C-SF10	6,963	SF	CAST-IN-PLACE PORTLAND CEMENT CONCRETE RETAINING WALL, (10 IN THICK) INCLUDING REINFORCEMENT	$_____	$_____
SP414S-C-SF12	1,815	SF	CAST-IN-PLACE PORTLAND CEMENT CONCRETE RETAINING WALL, (12 IN THICK) FOR BIOFILTRATION POND#1 ONLY, INCLUDING REINFORCEMENT	$_____	$_____
432S-PRC-4	12,600	LF	PEDESTRIAN ADA RAILING OPTION 3 (STANDARD 707S-4)	$_____	$_____
501S-36	93	LF	JACKING OR BORING 36 IN. PIPE, CLASS STEEL (PER ASTM A134, W/MIN. THICKNESS OF 9/16" INCLUDING SPACERS)	$_____	$_____
506S-J6X4	2	EA	JUNCTION BOX (6 FT. X 4FT.)	$_____	$_____
506S-J6X5	1	EA	JUNCTION BOX (6 FT. X 5FT.)	$_____	$_____
506S-J7X6	1	EA	JUNCTION BOX (7 FT. X 6 FT.)	$_____	$_____
506S-J7X4	1	EA	JUNCTION BOX (7 FT. X 4 FT.)	$_____	$_____
506S-J7X4X7	1	EA	JUNCTION BOX (7 FT. X 4 FT. X 7 FT.)	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
506S-J10X5X5	1	EA	JUNCTION BOX (10 FT. X 5 FT. X 5 FT.)	$_____	$_____
SP506S-J1.5X1.5	9	EA	SCREW COVER IRRIGATION BOX (ALL DEPTHS)	$_____	$_____
506S-J3X.33	12	LF	JUNCTION BOX (3 FT. X .33 FT)	$_____	$_____
506S-J3X0.5	12	LF	JUNCTION BOX (3 FT. X 0.5 FT)	$_____	$_____
506S-J4X.33	22	LF	JUNCTION BOX (4 FT. X .33 FT)	$_____	$_____
506S-J6X.35	12	LF	JUNCTION BOX (6 FT. X .35 FT)	$_____	$_____
506S-J1X.33	8	LF	JUNCTION BOX (1FT. X .33 FT.)	$_____	$_____
506S-M4	9	EA	STANDARD PRE-CAST MANHOLE W/ PRE-CAST BASE, 4 FT DIA.	$_____	$_____
506S-D4	3	EA	DROP MANHOLE W/ PRE-CAST BASE, 4 FT DIA.	$_____	$_____
508S-IG5X1.5	3	EA	INLET GRATED (5 FT. X 1.5 FT.)	$_____	$_____
508S-IG10X2	1	EA	INLET GRATED (10 FT. X 2 FT.)	$_____	$_____
SP508S-IG5X4	1	EA	GRATE INLET (5 FT. X 4 FT.)	$_____	$_____
508S-I10S	6	EA	INLET, STANDARD	$_____	$_____
SP508S-I10R	5	EA	MODIFIED CURB INLET, RECESSED	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP508S-HP	1	EA	12 IN FLAT THICKNESS CONCRETE HEADWALL WITH PEDESRIAN HAND RAIL	$_____	$_____
SS508BM	370	CY	BIOFILTRATION MEDIUM	$_____	$_____
509S-1	2,227	LF	TRENCH EXCAVATION SAFETY PROTECTIVE SYSTEMS (ALL DEPTHS)	$_____	$_____
510-ASD18C3	591	LF	PIPE, 18 IN. DIA, CLASS III RCP (ALL DEPTHS) INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-ASD18C4	800	LF	PIPE, 18 IN. DIA. CLASS IV RCP (ALL DEPTHS) INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-ASD24	694	LF	PIPE, 24 IN. DIA, CLASS IV RCP (ALL DEPTHS) INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-ASD36C3	25	LF	PIPE, 36 IN. DIA., CLASS III RCP (ALL DEPTHS) INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-ASD36C4	53	LF	PIPE, 36 IN. DIA., CLASS IV RCP (ALL DEPTHS) INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-ASD6	500	LF	PIPE, 6 IN. DIA., PVC (ALL DEPTHS) INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
SP510-ASD 6	3,000	LF	6 IN, SCH 40 PERFORATED PVC PIPE	$_____	$_____
SP510 VIDEO	2,227	LF	VIDEO INSPECTION OF NEWLY INSTALLED BOX CULVERTS AND STORM DRAIN PIPE	$_____	$_____
559S-6X1.5	12	LF	PRECAST CONCRETE BOX CULVERTS (6 FT. X 1.5 FT.)	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
559S-4X3	379	LF	PRECAST CONCRETE BOX CULVERTS (4 FT. X 3 FT.)	$_____	$_____
559S-5X3	565	LF	PRECAST CONCRETE BOX CULVERTS (5 FT. X 3 FT.)	$_____	$_____
559S-6X3	60	LF	PRECAST CONCRETE BOX CULVERTS (6 FT. X 3 FT.)	$_____	$_____
559S-7X3	535	LF	PRECAST CONCRETE BOX CULVERTS (7 FT. X 3 FT.)	$_____	$_____
591S-D	150	SY	MORTARED ROCK RIPRAP (3" – 6", ROCK SIZE)	$_____	$_____
SS603-A	1	LS	IRRIGATION SYSTEM	$_____	$_____
604S-C	7,559	SY	NATIVE SEEDING FOR EROSION CONTROL METHOD	$_____	$_____
608S-1RB	21	EA	PLANTING TYPE REDBUD SIZE IN 2 CAL IN.	$_____	$_____
608S-1CM	8	EA	PLANTING TYPE CHILEAN MESQUITE, SIZE IN 3 CAL IN.	$_____	$_____
608S-1DM	9	EA	PLANTING TYPE 'BUBBA' DESERT WILLOW, SIZE IN 2 CAL IN.	$_____	$_____
608S-1LO	7	EA	PLANTING TYPE LACEY OAK, SIZE IN 3 CAL IN.	$_____	$_____
608S-1MB	11	EA	PLANTING TYPE MEXICAN BUCKEYE, SIZE IN 2 CAL IN.	$_____	$_____
608S-1MP	10	EA	PLANTING TYPE MEXICAN PLUM, SIZE IN 2 CAL IN.	$_____	$_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
608S-1PH	11	EA	PLANTING TYPE POSSUMHAW HOLLY, SIZE IN 2 CAL IN.	$_____	$_____
608S-1TA	10	EA	PLANTING TYPE TEXAS ASH, SIZE IN 3 CAL IN.	$_____	$_____
608S-1ML	15	EA	PLANTING TYPE TEXAS MOUNTAIN LAUREL, SIZE IN 2 CAL. IN.	$_____	$_____
608S-1YH	26	EA	PLANTING TYPE PRIDE OF HOUSTON YAUPON HOLLY, SIZE IN 2 CAL IN.	$_____	$_____
SP608S-1LP	976	EA	PLANTING, 1 GALLON CONTAINERS, PER PLANS	$_____	$_____
SP608S-5LP	264	EA	PLANTING, 5 GALLON CONTAINERS, PER PLANS	$_____	$_____
SP608S-15LP	9	EA	PLANTING, 15 GAL. CONTAINERS, PER PLANS	$_____	$_____
SP608S-2A	33	CY	HARDWOOD MULCH, 3 IN THICK, PROPOSED TREES	$_____	$_____
SP608S-2B	59	CY	HARDWOOD MUCH, 3 IN THICKNESS, EXISTING TREES PER PLANS	$_____	$_____
SP608S-2C	13	CY	HARDWOOD MULCH, 3 IN THICKNESS, IN R.O.W. PER PLANS	$_____	$_____
SP608S-2D	38	CY	HARDWOOD OR ROCK MULCH, 3 IN THICK, PLANTING BEDS IN RAIN GARDENS AND BIOFILTRATION PONDS	$_____	$_____
SP608S-2E	128	EA	TREE STAKING SYSTEM	$_____	$_____
SP608S-T1	2	EA	TRANSPLANTING, TREE, 8 IN DIAMETER	$_____	$_____
SP608S-SG1	5	EA	TREE & ROOT PROTECTION SIGNAGE	$_____	$_____

STORM **8071-6207-9053**

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP608S-1A	12	MO	PLANT ESTABLISHMENT PERIOD	$_____	$_____
SP609S-M	12	MO	MANAGEMENT PRACTICE	$_____	$_____
SS611-A	12	MO	EXTENDED LANDSCAPE MAINTENANCE	$_____	$_____
SS612-A	1,150	CY	TOPSOIL MIX	$_____	$_____
SS1699 WQBP1	1	EA	WATER QUALITY BIOFILTRATION POND #1	$_____	$_____
SS1699 WQBP2	1	EA	WATER QUALITY BIOFILTRATION POND #2	$_____	$_____

SUBTOTAL STORM ..... $_____

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
501S-16	96	LF	JACKING OR BORING 16 IN. PIPE, CLASS STEEL (PER ASTM A134 W/MIN. THICKNESS OF 3/8" INCLUDING SPACERS)	$_____	$_____
504S-1RM	15	EA	REPOSITIONING & ADJUSTING WATER METERS	$_____	$_____
504S-3W	8	EA	ADJUSTING WATER VALVE BOXES TO GRADE	$_____	$_____
509S-1W	3,955	LF	TRENCH EXCAVATION SAFETY PROTECTIVE SYSTEMS (ALL DEPTHS)	$_____	$_____
510-AW8PVC	3,180	LF	PIPE, 8 IN. DIA. PVC C-900, (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW8DI	145	LF	PIPE, 8 IN. DIA. DI CL 350, (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW6DI	590	LF	PIPE, 6 IN. DIA. DI CL 350, (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW6PVC	40	LF	PIPE, 6 IN. DIA. PVC C-900, (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-AW2K	40	LF	PIPE, 2 IN. DIA. COPPER TYPE K, (ALL DEPTHS), INCLUDING EXCAVATION AND BACKFILL	$_____	$_____
510-BW 8x1.5	17	EA	INSTALLING OR RECONNECTING LATERAL SERVICE TO EXISTING OR REPLACED PIPE (SINGLE 1 ½ IN. WATER SERVICE CONNECTION)	$_____	$_____

WATER			3960-2207-6359		
Bid Item	**Quantity**	**Unit**	**Item Description**	**Unit Price**	**Amount**
510-IR 24X8 DIA.	1	EA	PRESSURE TAPS, 24 IN. DIA. X 8 IN. DIA. (STEEL FULL-BODY TAPPING SLEEVE AND VALVE, TYPE 2)	$_____	$_____
510-JW8X8	3	EA	WET CONNECTION 8 IN. DIA X 8 IN. DIA.	$_____	$_____
510-KW	1.5	TON	DUCTILE IRON FITTINGS	$_____	$_____
511S-A2	1	EA	VALVES, GATE TYPE, 2 IN. DIAMETER	$_____	$_____
511S-A6	21	EA	VALVES, GATE TYPE, 6 IN. DIAMETER	$_____	$_____
511S-A8	14	EA	VALVES, GATE TYPE, 8 IN. DIAMETER	$_____	$_____
511S-C	1	EA	BACKFLOW PREVENTOR, 2 INCH DIA.	$_____	$_____
511S-B	19	EA	FIRE HYDRANTS (SEE STANDARD NO. 511S-17)	$_____	$_____
511S-F	1	EA	AUTOMATIC COMBINATION AIR/VACUUM RELEASE VALVE ASSEMBLY, 2" DIAMETER	$_____	$_____
SP511S-J8	2	EA	PERMANENT INSERTION VALVE, 8 IN DIAMETER, COMPLETE IN PLACE	$_____	$_____
SUBTOTAL WATER.....					$_____

WASTEWATER **4570-2307-8376**

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
506S 4WW	9	EA	MINOR MANHOLE HEIGHT ADJUSTMENT, 48" DIA.	$_____	$_____
510-BWW 6X8	10	EA	INSTALLING OR RECONNECTING LATERAL SERVICE TO EXISTING OR REPLACED PIP (6" DIA. SDR-26 PVC WASTEWATER SERVICE *CONNECTION* – SINGLE, INCLUDING NEW CLEANOUT)	$_____	$_____

SUBTOTAL WASTE WATER..... $_____

GENERAL **8071-6207-9053**

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
628S-C	32	EA	FILTER CURB INLET PROTECTION (NEW INLET)	$_____	$_____
628S-D	10	EA	FILTER CURB INLET PROTECTION (EXISTING INLET)	$_____	$_____
639S	625	LF	ROCK BERM	$_____	$_____
641S	1	EA	STABILIZED CONSTRUCTION ENTRANCE	$_____	$_____
642S	7,830	LF	SILT FENCE FOR EROSION CONTROL	$_____	$_____
700S-TM	1	LS	TOTAL MOBILIZATION PAYMENT	$_____	$_____
SP801S-A	1	LS	CONSTRUCTING ALL DETOURS	$_____	$_____
802S-B C.I.P	4	EA	C.I.P. PROJECT SIGNS	$_____	$_____

GENERAL **8071-6207-9053**

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP 802S-BAS	30	EA	BUSINESS ACCESS SIGNS	$_____	$_____
803S-CD	540	CD	BARRICADES, SIGNS, AND TRAFFIC HANDLING	$_____	$_____
SS826	280	CD	PORTABLE CHANGEABLE MESSAGE SIGNS	$_____	$_____

SUBTOTAL GENERAL..... $_____

Subtotal Street**.....$_____**

Subtotal Storm**.....$_____**

Subtotal Water**.....$_____**

Subtotal Waste Water**.....$_____**

Subtotal General**.....$_____**

TOTAL BID: ..... $_____

In the event of a mathematical error, the correct product, determined by using the "Unit Price" and "Quantity", and the correct sum, determined by totaling the correct line item Amounts, will prevail over the amount entered by the Bidder. The unit prices shown above will be the unit prices used to tabulate the Bid and used in the Contract, if awarded by the City.

Optional Information on Bid Prices Submitted by Computer Printout

In lieu of handwritten unit prices in figures in ink on the Bid forms above, Bidders, at their option, may submit an original computer printout sheet bearing certification by, and signature for, the Bidding firm. The unit prices shown on acceptable printouts will be the unit prices used to tabulate the Bid and used in the Contract if awarded by the City. As a minimum, computer printouts must contain all information and in the format shown on the attached page: "Example of Bid Prices Submitted by Computer Printout" form.

If a computer printout is used, the Bidder must still execute that portion of the unit price Bid form which acknowledges the Bid Guaranty, Time of Completion, Liquidated Damages, and all addenda that may have been issued.

Bids with unit prices by computer printout may be rejected, if:

1. The computer printout does not include the required certification, set forth in the attached "Example".
2. The computer printout is not signed in the name of the firm to whom the Project Manual was issued.
3. The computer printout is non-responsive or otherwise omits required Bid items or includes items not shown on the Bid forms in the Project Manual.

4. The other required Bid documents issued by the City are not fully executed as provided above.
5. The signed Section 00300U is not returned with the signed computer printout.

If the Bid submitted by the Bidder contains both the form furnished by the City, completed according the instructions, and also a computer printout, completed according to the instructions, unit prices of only one will be considered. In this situation, the unit Bid prices shown on the computer printout will be used to determine the Bid.

BID GUARANTY: A Bid guaranty must be enclosed with this Bid, as required in Section 00020 or Section 00020S, in the amount of not less than five percent (5%) of the total Bid. Following the Bid opening, submitted Bids may not be withdrawn for a period of Ninety (90) Calendar Days. Award of Contract will occur within this period, unless mutually agreed between the parties. The Bid guaranty may become the property of the OWNER, or the OWNER may pursue any other action allowed by law, if:

- Bidder withdraws a submitted Bid within the period stated above;
- Bidder fails to submit the required post Bid information within the period specified in Section 00020S or 00100, or any mutually agreed extension of that period;
- or Bidder fails to execute the Contract and furnish the prescribed documentation (bonds, insurance, etc.) needed to complete execution of the Contract within five (5) calendar days after notice of award, or any mutually agreed extension of that period.

GEOTECHNICAL BASELINE ACKNOWLEDGEMENT: The undersigned bidder certifies that he/she has read and understands the Geotechnical Baseline Report (GBR), the Geotechnical Data Report, the Reflection Survey Report, and all other geological and geotechnical information and data as provided in the Contract Documents, including all Addenda. ***The Bidder acknowledges and agrees that the GBR represents the contractual statement of the subsurface conditions reasonably anticipated to be encountered during construction. The GBR will be used to evaluate whether subsurface conditions differ materially from those indicated in the GBR.***

TIME OF COMPLETION: The undersigned Bidder agrees to commence work on the date specified in the written "Notice to Proceed" to be issued by the OWNER and to **substantially** complete construction of the improvements, as required by the Project Manual, Drawings and Addenda for the Work within **Five Hundred Forty(540) Calendar** Days. **If a Substantial Completion date has been specified, the Bidder further agrees to reach Final Completion within Three Hundred Sixty Five (365) Calendar Days after substantial completion as required by the Project Manual, Drawings and Addenda for the work.** The Bidder further agrees that should the Bidder fail to (**substantially complete the Work or to finally** complete the Work within the number of days indicated in the Bid or as subsequently adjusted, Bidder shall pay the liquidated damages for each consecutive day thereafter as provided below; unless the OWNER elects to pursue any other action allowed by law.

The Final Completion duration has been set to encompass the required Landscape Maintenance period (Refer to Special Specification SS611).

WAIVER OF ATTORNEY FEES: In submitting its bid, in consideration for the waiver of its right to attorney's fees by the OWNER, the Bidder knowingly and intentionally agrees to and shall waive the right to attorney's fees under Section 271.153 of the Texas Local Government Code in any administrative proceeding, alternative dispute resolution proceeding, or litigation arising out of or connected to any Contract awarded pursuant to this solicitation process.

LIQUIDATED DAMAGES: The Bidder understands and agrees that the timely completion of the described Work is of the essence. The Bidder and OWNER further agree that the OWNER's actual damages for delay caused by failure to timely complete the Project are difficult, if not impossible to measure. However, with respect to the additional administrative and consultant costs to be incurred by OWNER, the reasonable estimate of such damages has been calculated and agreed to by OWNER and Bidder. Therefore, the Bidder and the OWNER agree that for each and every **Calendar Day** the Work or any portion thereof, remains incomplete after the **Substantial Completion** date as established by the above paragraph, "Time of Completion", payment will be due to the Owner in the amount of **One Thousand Seven Hundred Fifty dollars ($1,750.00) per Calendar Day** as liquidated damages, not as a penalty, but for delay damages to the OWNER. If both Substantial and Final Completion dates have been specified, the Bidder and the OWNER further agree that for each and every **Calendar Day** the Work or any portion thereof, remains incomplete after the Final date as established by the above paragraph, "Time of Completion", payment will be due to the OWNER in the amount of **Two Hundred Ten dollars ($210.00) per Calendar Day** as liquidated damages, not as a penalty, but for delay damages to the OWNER. Such amount shall be deducted by the OWNER from any Contract payment due. In the event of a default or breach by the CONTRACTOR and demand is made upon the surety to complete the project, in accordance with the Contract Documents, the surety shall be liable for liquidated damages pursuant to the Contract Documents in the same manner as the CONTRACTOR would have been.

OWNER reserves the right to reject any or all Bids and to waive any minor informality in any Bid or solicitation procedure (a minor informality is one that does not affect the competitiveness of the Bids).

The undersigned acknowledges receipt of the following addenda:

Addendum No. 1 dated _____ Received _____

Addendum No. 2 dated _____ Received _____

Addendum No. 3 dated _____ Received _____

Addendum No. 4 dated _____ Received _____

Addendum No. 5 dated _____ Received _____

_____ _____

Secretary, *if Bidder is a Corporation Bidder

_____

Authorized Signature

(Seal)

_____

Title

_____

Date

_____

_____

Address

Telephone Number / FAX Number

Email Address for Person Signing Bid

Email Address for Bidder's Primary Contact Person

* Copy of Corporate Resolution and minutes with certificate of officer of Bidder as to authority of signatory to bind Bidder is to be signed and dated no earlier than one week before Bid date, and attached to this document.

EXAMPLE: BID PRICES SUBMITTED BY COMPUTER PRINTOUT

Project Name:
CIP ID #:
IFB #:

Bid Item #	***Bid Item Description***	***Unit***	***Qty***	***Unit Bid Price***	***Total Amount***
				Total Bid:	

(YOUR FIRM'S NAME) certifies that the unit prices shown on this completed computer printout for all of the bid items and the alternates contained in this proposal are the unit prices intended and that its Bid will be tabulated using these unit prices and no other information from this printout. (YOUR FIRM'S NAME) acknowledges and agrees that the total bid amount shown will be read as its total bid. *In the event of a mathematical error*, the correct product, determined by using the "Unit Price" and "Quantity", and the correct sum, determined by totaling the correct line item Amounts, will prevail over the amount entered by the Bidder.

Signed: _____

Title: _____

Date: _____

End

SPECIAL PROVISION TO
Standard Specification Item No. 414S Concrete Retaining Wall (Version 11/13/07)

For this project Item No. 414S Concrete Retaining Walls, dated 11/13/2007, of the City of Austin Standard Technical Specifications is hereby amended with respect to the clauses cited below. No other clauses or requirements of this Section of the City of Austin Standard Specifications are waived or changed.

414S.5 Measurement

Delete this section in its entirety and replace it with the following:

"Accepted cast-in-place, Precast Portland cement and retaining walls as prescribed by this item will be measured by the square foot of the outside, vertical surface of the wall. The vertical measurement shall be from the top of the wall to the top of the footing." No measurement will be made for concrete footing and shall be included in the unit price bid for the retaining wall construction.

414.6 Payment

Delete the first sentence of this section and replace with the following sentence:

> "The cast-in-place or Precast Portland cement concrete work performed as prescribed by this item will be paid for at the unit bid price per square foot of exposed outside vertical surface."

Add the following pay items:

Pay Item No. SP414S-C-SF6	CAST-IN-PLACE PORTLAND CEMENT CONCRETE RETAINING WALL (6-IN THICK) INCLUDING REINFORCEMENT.	Per Square Foot
Pay Item No. SP414S-C-SF10	CAST-IN-PLACE PORTLAND CEMENT CONCRETE RETAINING WALL (10-IN THICK) INCLUDING REINFORCEMENT.	Per Square Foot
Pay Item No. SP414S-C-SF12	CAST-IN-PLACE PORTLAND CEMENT CONCRETE RETAINING WALL (12-IN THICK) FOR BIOFILTRATION POND #1 ONLY, INCLUDING REINFORCEMENT.	Per Square Foot

End

SPECIAL PROVISION TO
Standard Specification Item No. 801S Constructing a Detour (Version 06/21/07)

For this project Item No. 801S Constructing a Detour, dated 06-21-07 of the City of Austin Standard Technical Specifications is hereby amended with respect to the clauses cited below. No other clauses or requirements of this Section of the City of Austin Standard Specifications are waived or changed.

414.6 Payment

Add the following pay item:

"**Pay Item No. SP801S-A**: Constructing All Detours - Per Lump Sum"

End