



**INVITATION FOR BID ADDENDUM
PURCHASING OFFICE
CITY OF AUSTIN, TEXAS**

INVITATION FOR BID: MPM0023 ADDENDUM NO. 5 DATE OF ADDENDUM: January 26, 2015

This addendum is to incorporate the following information:

The Specification (Section 0500), Paragraph 6 (Material Specifications, Chain Link Fence) has been replaced due to missing information. It is below:

6.0 MATERIAL SPECIFICATIONS, CHAIN LINK FENCE

6.1 Minimum specs, sizes and weights, Fencing Posts, Rails and Associated items.

- 6.1.1 End, corner, slope, and pull posts:
 - a. Pipe, 2.875 inch OD, approx. 5.8 Lbs. per linear foot.
 - b. Tubing, 2.5 inch square, Lbs. per linear foot.
 - c. Roll-formed section, 3.5 inch x 3-1/1 inch. Lbs. per linear foot
- 6.1.2 Line Post: provide minimum sizes and weight as follows Material and Dimensions
 - a. Pipe, 2.375 inch OD, approx. 3.7 Lbs. per linear foot.
 - b. H-Sections, 2.25 inch x 1.95 inch x 0.143 inch, Lbs. per linear foot.
- 6.1.3 Gate Post, single gate leaf, or one leaf of a double gate installation, for normal gate widths:
 - a. Pipe, 4 inch OD, approx. 9.2 Lbs. per linear foot.
 - b. Tubing, 3 inch square, Lbs. per linear foot.
 - c. H-section, 4 inch, Lbs. per linear foot.
 - d. Over 13 feet wide and up to 18 feet wide - use 6.625 inch OD pipe.
 - e. Over 18 feet wide - use 8.625 inch OD pipe weighing 24.70 lbs. per linear foot.

Bid Sheet (Section 0600) item 34 should read: "new 6 ft wood fence (includes posts, concrete, 2 rails, 6" pickets)"

The Bid Opening Time and Date has been changed to 2:15 PM on February 4, 2015. Bids are due prior to 2:00 PM on February 4, 2015.

All other terms and conditions remain the same.

BY THE SIGNATURES affixed below, this Addendum is hereby incorporated and made a part of the above-referenced Solicitation.

APPROVED BY:


Paige McDonald, Senior Buyer
Purchasing Office, 512-974-2076

ACKNOWLEDGED BY:

_____ SUPPLIER	_____ AUTHORIZED SIGNATURE	_____ DATE
-------------------	-------------------------------	---------------

RETURN ONE (1) COPY OF THIS ADDENDUM TO THE PURCHASING OFFICE, CITY OF AUSTIN, PRIOR TO BID OPENING OR WITH YOUR SEALED BID. FAILURE TO DO SO MAY CONSTITUTE GROUNDS FOR REJECTION OF YOUR OFFER.